

DREXEL METALS ROOFING SYSTEMS



METAL TRIM DETAILS
STANDARD AND CUSTOM



41 N. LAWN AVE
ELMSFORD, NY 10523
914-347-8157



SIMPLIFYING METAL ROOFING SYSTEMS



41 N. LAWN AVE
ELMSFORD, NY 10523
914-347-8157



©2017 Drexel Metals, Inc. All rights reserved. Trademarks mentioned in this document are the property of Drexel Metals Inc., its affiliates, or their respective owners. Warranty statements mentioned are outlines; complete Limited Warranty information is available upon request. No other warranty expressed or implied is applicable. Printed in USA 1/17.

Corporate Office and MidWest Sales Region:

1234 Gardiner Lane • Louisville, KY 40213
888-321-9630 toll free • 502-690-6174 fax

Northeast / MidAtlantic Sales Region:

2101 Green Lane, Suite C • Levittown, PA 19057
888-321-9630 toll free • 877-321-9638 fax

MidAtlantic Sales Region:

6930 San Tomas Road, Suite A • Elkridge, MD 21075
800-863-8322 toll free • 410-799-9913 fax

Southeastern Sales Region:

8641 Elm Fair Blvd. • Tampa, FL 33610
888-321-9630 toll free • 727-572-7910 fax

Western Sales Region:

5981 Broadway • Denver, CO 80216
888-321-9630 toll free • 303-340-0982 fax



ARCHITECTURAL • COMMERCIAL • RESTORATION/CUSTOM



PROJECT INFORMATION:

Job Location: _____

Project Name: _____ Date: _____

Customer Name: _____ Contact: _____

Phone Number: _____ Email: _____

METAL ROOFING SPECIFICATIONS:

Gauge: ☐ 26 ga ☐ 24ga ☐ 22ga _____ Aluminum: ☐ .032 ☐ .040 _____

Panel Width: _____ Roof Area Sq Ft: _____

Color: _____

PANEL PROFILE:



☐ DMC 100SS
☐ 90° ☐ 180°



☐ DMC 150SS
☐ 90° ☐ 180°



☐ DMC 200S



☐ DMC 150SL



☐ DMC 450SL



☐ DMC 550S




☐ DMC 175S




☐ DMC 100NS




☐ DMC CAP
SEAM



☐ DMC SNAP-ON
BATTEN




☐ DMC FW1
FLUSH




☐ DMC 5V


PANEL RIB:




☐ FLAT PANEL




☐ CLIP RELIEF




☐ STRIATIONS




☐ BEADS




☐ SMALL V RIBS




☐ LARGE V RIBS



☐ SMALL PENCIL RIBS



☐ LARGE PENCIL RIBS





PANEL TYPE:

Panel Order:

Quantity:		Panel Length:	Notes:
_____	@ _____	Feet: _____ Inches: _____	_____
_____	@ _____	Feet: _____ Inches: _____	_____
_____	@ _____	Feet: _____ Inches: _____	_____
_____	@ _____	Feet: _____ Inches: _____	_____
_____	@ _____	Feet: _____ Inches: _____	_____
_____	@ _____	Feet: _____ Inches: _____	_____
_____	@ _____	Feet: _____ Inches: _____	_____
_____	@ _____	Feet: _____ Inches: _____	_____
_____	@ _____	Feet: _____ Inches: _____	_____
_____	@ _____	Feet: _____ Inches: _____	_____
_____	@ _____	Feet: _____ Inches: _____	_____
_____	@ _____	Feet: _____ Inches: _____	_____
_____	@ _____	Feet: _____ Inches: _____	_____
_____	@ _____	Feet: _____ Inches: _____	_____
_____	@ _____	Feet: _____ Inches: _____	_____

ROOF PITCH:

In building construction, the roof angle or “pitch” is a numerical measure of the steepness of a roof. It’s calculated by the number of inches it rises vertically for every 12 inches it extends horizontally. The chart to the right shows the pitch of the roof and its corresponding measurement in degrees.



UNDERLAYMENT:

- ☐ MetShield High-Temp Underlayment (196 sq/ft per roll)
Quantity (number of rolls): _____
- ☐ Metshield Synthetic Underlayment (1,000 sq/ft per roll)
Quantity (number of rolls): _____




ACCESSORIES:

- ☐ Clips:
 - ☐ Fixed Clips: Quantity: _____
 - ☐ Expansion Clips: Quantity: _____
- ☐ Screws: (#10-13x1” Pancake) (250/bag):
Quabity: _____
- ☐ #43 STS Rivets (250/bag):
Color _____
Quantity: _____
- ☐ Butyl DBL-Bead Tape (40’ per roll):
Quantity: _____
- ☐ Caulk (10.3oz Tube):
Quantity: _____
- ☐ Pipe Boot:
Quantity: _____
- ☐ #3 Gray (1/4” to 4”)
- ☐ #4 Gray (3” to 6”)
- ☐ Other: _____

- ☐ Painted Fasteners (#10-5 x1.5” A point) (250/bag):
Color: _____
Quantity: _____
Other: _____
- ☐ Drexmet® Paint Pen:
Color: _____
Quantity: _____
- ☐ Seamer Rental:
\$100 per day or \$350 per week.
(Only for DMC 100SS, DMC 150SS, DMC 200S)
- ☐ Snow Retention
- ☐ Hemming Tool
- ☐ Standard Paint Warranty
- ☐ Gold Standard Paint Warranty



Do your panels have to be curved?
Call us at (888) 321-9630 for template instructions.



EAVE

☐ 10' Length
Specify Quantity: _____



☐ Select Roof Pitch
Specify 1 thru 12: _____
(See Roof Pitch diagram, pg 4)



RIDGE/HIP



☐ 10' Length
Specify Quantity: _____

☐ Select Roof Pitch
Specify 1 thru 12: _____
(See Roof Pitch diagram, pg 4)



RAKEWALL



☐ 10' Length
Specify Quantity: _____



HEADWALL



☐ 10' Length
Specify Quantity: _____

☐ Select Roof Pitch
Specify 1 thru 12: _____
(See Roof Pitch diagram, pg 4)





GABLE

☐ 10' Length
Specify Quantity: _____





PRE-APPLIED
GABLE

☐ 10' Length
Specify Quantity: _____



ZEE


☐ 10' Length
Specify Quantity: _____



CFR


☐ 10' Length
Specify Quantity: _____






☐ 10' Length
Specify Quantity: _____

Select Roof Pitch
Specify 1 thru 12: _____
(See Roof Pitch diagram, pg 4)




W VALLEY



☐ 10' Length
Specify Quantity: _____




OFFSET CLEAT




☐ 10' Length
Specify Quantity: _____

Select Roof Pitch
Specify 1 thru 12: _____
(See Roof Pitch diagram, pg 4)




TRANSITION




☐ 10' Length
Specify Quantity: _____

Select Roof Pitch
Specify 1 thru 12: _____
(See Roof Pitch diagram, pg 4)




PEAK




☐ 10' Length
Specify Quantity: _____

Select Roof Pitch
Specify 1 thru 12: _____
(See Roof Pitch diagram, pg 4)




VENTED RIDGE



☐ 10' Length
Specify Quantity: _____




VENTED ZEE



☐ 10' Length
Specify Quantity: _____




COUNTER FLASHING



☐ 10' Length
Specify Quantity: _____




REGLET



☐ 10' Length

Specify Quantity: _____



SOFFIT J

CUSTOM FLASHINGS:

Description: _____ Length: _____ Quantity: _____

A full page of blank graph paper with a uniform grid of small squares. The grid consists of 20 columns and 20 rows, creating a total of 400 small square units. The lines are thin and black, set against a white background. There are no margins or additional markings on the page.

CUSTOM FLASHINGS:

Description: _____ Length: _____ Quantity: _____

[illegible]

Description: _____ Length: _____ Quantity: _____

[illegible]